

JC715 U.S. PTO

## UTILITY PATENT APPLICATION TRANSMITTAL

22193

PATENT TRADEMARK OFFICE

address to: <b>Box PATENT APPLICATION</b> <b>Assistant Commissioner for Patents</b> <b>Washington, DC 20231</b>	Attorney Docket No.	1668 (USW 0535 PUS)
	Inventor(s) or Application Identifier: Chase A. Hafner; William R. Mutschler Brian J. Walker and David S. Joyce	

jc588 U.S. PTO  
09/421038

10/20/99

1. This application entitled METHOD FOR MANAGING INFORMATION AND RENDERING DISCOUNTS is:

- a. X A new application under 37 C.F.R. §1.53(b).
- b.      A      continuation      divisional or      continuation-in-part  
application under 37 C.F.R. § 1.53(b) of prior application Serial  
No.         /                      filed on                     ,  
entitled

Application elements and other attached papers:

2.   X   Specification (incl. Claims and Abstract) [Total Pages  34 ]
3.   X   Drawings (  X   informal        formal) [Total Sheets   7  ]
4.   X   Oath or Declaration
- a.   X   Newly-executed
- b.        Copy from a prior application (37 C.F.R. § 1.63(d))
5.        Incorporation By Reference: The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Item 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6.        This application is filed by fewer than all the inventors named in the prior application, 37 C.F.R. § 1.53(d)(4).
- a.        **DELETE** the following inventor(s) named in the prior nonprovisional application:
- \_\_\_\_\_
- \_\_\_\_\_
- b.        The inventor(s) to be deleted are set forth on a separate sheet attached hereto.

CERTIFICATION UNDER 37 C.F.R. § 1.10

I hereby certify that this UTILITY PATENT APPLICATION TRANSMITTAL and the documents referred to as attached therein are being deposited on the below date with the United States Postal Service in an envelope as "Express Mail Post Office to Addressee" addressed to: Box Patent Application, Assistant Commissioner for Patents, Washington, D.C. 20231.

Express  
Mail Label No. EL187881649US

Date of Deposit: October 20, 1999

Julie A. Barber  
(Type or print name of person mailing paper)

Julie A. Barber  
(Signature of person mailing paper)

7. Preliminary Amendment:

- a. ☐ A Preliminary Amendment is attached.
- b. ☐ Cancel in this application original claims \_\_\_\_\_ of the prior application before calculating the filing fee.
- c. ☐ Please amend the specification by inserting before the first line the sentence:
- "This is a
- ☐ continuation
- ☐ divisional
- of copending application(s)
- Serial number  /  filed on .
- d. ☐ A Petition to Suspend Prosecution For The Time Necessary to File An Amendment (New Application Filed Concurrently) is attached.

8. Small entity status:

- a. ☐ A small entity statement is attached.
- b. ☐ A small entity statement was filed in the prior nonprovisional application and such status is still proper and desired.
- c. ☐ Is no longer desired.

9. Fee Calculation:

FOR	NUMBER FILED	NUMBER EXTRA	RATE	CALCULATIONS
TOTAL CLAIMS (37 C.F.R. § 1.16(c))	19 -20 =	0	X 18.00	0.00
INDEPENDENT CLAIMS (37 C.F.R. § 1.16(b))	3 -3 =	0	X 78.00	0.00
MULTIPLE DEPENDENT CLAIMS (if applicable) (37 C.F.R. § 1.16(d))			260.00	
			BASIC FEE (37 C.F.R. § 1.16(a))	760.00
			Total of above Calculations =	760.00
Reduction by 50% for filing by small entity (Note 37 C.F.R. §§ 1.9, 1.27, 1.28)				
Assignment Recordal Fee			40.00	40.00
TOTAL =				800.00

10. ☐ A check in the amount of \$\_\_\_\_\_ is enclosed.
11. ☒ The Commissioner is hereby authorized to credit overpayments or charge the following fees (or any deficiency therein) to U S WEST, Inc. Deposit Account No. 21-0456:
- a. ☒ Fees required under 37 C.F.R. § 1.16.
- b. ☒ Fees required under 37 C.F.R. § 1.17.

12. Maintenance of Copendency of Prior Application

- ☐ A request for extension of time and the appropriate fee have been filed in the pending **prior** application (or are being filed in the prior application concurrently herewith) to extend the period for response until \_\_\_\_\_.
13. ☐ An Information Disclosure Statement (IDS) is attached, along with the following indicated attachments thereto:
- a. ☐ Form PTO/SB/08 (\_\_\_\_\_ sheet(s))
- b. ☐ Copies of references cited
14. ☐ Certified copy of priority document(s)
15. ☒ Return Receipt Postcard
16. ☐ Other: \_\_\_\_\_
17. ☒ An Assignment of the invention to U S WEST, Inc.
- a. ☒ is attached.
- b. ☐ was recorded on \_\_\_\_\_ at Reel \_\_\_\_\_, Frame \_\_\_\_\_.
18. The power of attorney in the prior application is to:

\_\_\_\_\_  
Name of Attorney of Record

\_\_\_\_\_  
Reg. No.

☐ The power appears in the original papers in the prior application.

☐ The power does not appear in the original papers, but was filed on \_\_\_\_\_.

☐ A new power has been executed and is attached.

19. Correspondence Address: Please address all future communications to:

Mark A. Thomas,



**22193**

PATENT TRADEMARK OFFICE

Telephone: 877-879-4747 or 303-672-2700; Fax: 303-308-9456

Respectfully submitted,

Date October 20, 1999

Jeremy J. Curcuri  
Name: Jeremy J. Curcuri  
Registration No.: 42,454  
☒ Attorney or agent of record  
☐ Filed under Rule 34(a)

## METHOD FOR MANAGING INFORMATION AND RENDERING DISCOUNTS

### TECHNICAL FIELD

5 The present invention relates to a method for managing information and rendering discounts in a billing system.

### BACKGROUND ART

660201-8004260  
10 In many lines of business, and particularly in the telecommunications industries, managing information for a large number of customers may become quite complicated. Further, customer bills are often adjusted by various discounts. Applying the discounts to the bills, particularly in the telecommunications industries, may quickly become complicated due to the large number of customers and the large amounts of data for each customer during a particular billing period.

15 In an existing method for rendering discounts, a complex application specific software package is developed to render discounts in a particular billing system having a highly defined structure. The application specific software package is developed for a single company to use for their customers, and is tailored to meet the specific needs of that company. As such, developing a discount rendering software package is expensive, and takes a lot of time. As such, it is not feasible to change the way in which discounts are rendered very often, because the software  
20 package is so application specific that it is sometimes necessary to develop an entire new application specific software package in order to revise the discount rendering technique. Further, because the package generally is implemented for use with a highly defined billing structure, these applications are generally not usable by others than the company that the particular package is designed for.

For the foregoing reasons, there is a need for a method for managing information and rendering discounts in a billing system that is more easily modified, and may be ported to different platforms without excessive difficulties.

## DISCLOSURE OF INVENTION

5                   It is, therefore, an object of the present invention to provide a method for managing information and rendering discounts in a billing system that utilizes a rule-based engine configured to accumulate data and render discounts.

10                   In carrying out the above object, a method for managing information and rendering discounts in a billing system is provided. The method comprises receiving a record including data, establishing a rule-based accumulation engine, and processing the record. The record is processed with the accumulation engine to accumulate the data in a plurality of pre-determined target accumulators. The method further comprises establishing a rule-based discount engine, and processing the plurality of target accumulators. The plurality of target accumulators are  
15                   processed with the discount engine to render discounts applicable to the customer.

20                   In a preferred embodiment, the record has a record type and establishing the accumulation engine further comprises establishing a rule table that directs the accumulation engine based on the record type. Further, preferably, at least one rule is established for processing a record by performing a sequence of operations to the data, with the rules table directing the accumulation engine to apply the at least one rule when dictated by the record type. Still further, preferably, at least one function is established for processing a record, with the rules table directing the accumulation engine to apply the at least one function when dictated by the record type. Even further, preferably, the rules table directs the accumulation engine  
25                   to pass the data directly to a target accumulator when dictated by the record type.

                  In a preferred embodiment, the record includes at least one source field, and receiving the record further comprises assigning a logical name to a source field. The accumulation engine processes the record using the logical name. As

such, the accumulation and discount engines are not limited by the format of incoming data, because logical names are assigned to incoming data source fields to place the data in a standard format for the rules-based engines.

5 In one implementation, establishing the discount engine further comprises establishing at least one rule for processing the record to evaluate discount qualification and at least one rule for processing the record to evaluate discount applications. Further, in one implementation, establishing the discount engine further comprises establishing at least one simple rule for processing the record. Still further, establishing the discount engine preferably further comprises  
10 establishing at least one compound rule for processing the record. The at least one compound rule is composed of a plurality of simple rules, with the discount engine applying the compound rule by recursively applying simple rules.

Further, in carrying out the present invention, a discount system for managing information and rendering discounts in a billing system is provided. The  
15 system comprises a rule-based engine configured to receive a customer record including data, and process the record to accumulate the data in a plurality of pre-determined target accumulators. The rule-based engine is further configured to process the plurality of target accumulators to render discounts applicable to the customer.

20 Still further, in carrying out the present invention, a computer readable storage medium having information stored thereon representing instructions executable by a computer to manage information and render discounts in a billing system is provided. The computer readable storage medium further comprises instructions for receiving a customer record including data, instructions for  
25 establishing a rule-based accumulation engine, and instructions for processing the record with the accumulation engine to accumulate the data in a plurality of predetermined target accumulators. The computer readable storage medium further comprises instructions for establishing a rule-based discount engine, and instructions for processing the plurality of target accumulators with the discount engine to render  
30 discounts applicable to the customer.

5 In a preferred embodiment, the computer readable storage medium further comprises instructions for establishing a rules table and rules and functions that are applied as directed by the rules table as dictated by record type. Further, preferably, logical names are assigned to source fields. Still further, the computer readable storage medium further comprises instructions for evaluating discount qualification, and evaluating discount applications using simple rules and compound rules that are performed by recursive application simple rules.

10 The advantages associated with embodiments of the present invention are numerous. For example, embodiments of the present invention provide a method, system, and computer instructions for managing information and rendering discounts in a billing system that utilizes a rule-based engine to process the billing information. Advantageously, using a rule-based approach simplifies steps involved in changing the way discounts are applied and adding additional functionality. Further, preferred embodiments assign logical names to source data fields so that the  
15 rule-based engine or engines be ported to many different billing platforms without excessive difficulties. Advantageously, the present invention provides a rule-based engine for billing applications with far more flexibility than the non-rule-based application specific programs in the prior art.

20 The above object and other objects, features, and advantages of the present invention are readily apparent from the following detailed description of the best mode for carrying out the invention when taken in connection with the accompanying drawings.

### **BRIEF DESCRIPTION OF DRAWINGS**

25 FIGURE 1 illustrates a convergent discount engine made in accordance with the present invention utilizing a rule-based approach for managing information and rendering discounts;

FIGURE 2 depicts the interaction of data accumulation engine tables and their dependencies;

FIGURE 3 depicts the evaluation path for a compound evaluation by the discount engine;

5                   FIGURE 4 illustrates the inter relations of the rules router and the application and qualification evaluations performed by the discount engine;

FIGURE 5 illustrates a data model for the convergent discount engine of the present invention;

10                   FIGURE 6 illustrates logical process flow for a convergent billing performed in accordance with the present invention using a rule-based engine;

FIGURE 7 is a block diagram illustrating a system of the present invention using a rule-based system to render discounts by processing customer records;

15                   FIGURE 8 is a block diagram illustrating a method of the present invention utilizing a rule-based accumulation engine and a rule-based discount engine; and

FIGURE 9 is an exemplary computer capable of reading storage media, with exemplary computer readable storage media also being illustrated.

#### **BEST MODE FOR CARRYING OUT THE INVENTION**

20                   With reference to Figure 1, the high level block diagram of a system of the present invention is generally indicated at 10. As shown, the overall rule-based billing calculation is shown at convergent driver process 12. Convergent driver process 12 is composed of accumulator driver process 14 and discount driver



process 30. Of course, it is appreciated by those skilled in the art that embodiments of the present invention may be implemented in a variety of different ways at the low level, and that the high level diagram shown in Figure 1 is arranged to facilitate an understanding of the present invention. That is, record processing in accordance with the present invention uses a rule-based system. The rule-based system may be formed in a variety of ways, such as with essentially separate accumulator driver and discount driver processes. In the alternative, the accumulator driver process or engine and the discount processor engine may be formed as parts of a larger engine, such as an overall convergent driver processor engine.

Accumulator driver process 14 includes account information gathering process 16 and data gathering process 18, in addition to accumulator posting process 20. Account information and other data, such as data representing telecommunication services, are received as data records at data record process 22. These data records are processed by the accumulator engine at accumulator rule process 24. Processing includes target accumulator calculation process 26 and optionally includes tiered product processing 28.

Discount driver process 30 includes discount qualification process 32, discount calculation process 34, and discount posting process 36. Qualification and calculation are controlled by the rule router 38. Rule router 38, based on information in target accumulators, calls on simple qualification rule evaluation process 40, compound rule evaluation process 42, simple application rule process 44, and compound application rule process 46 to process the data and render discounts which are posted at discount posting process 36.

With reference to Figures 1 and 2, the accumulation side of the system will be described in further detail. A suitable application for embodiments of the present invention is in processing billing information in the telecommunications industries. As such, the examples used herein to illustrate the present invention are telephone billing records. However, embodiments of the present invention may be used in a number of different applications, and the rule-based information processing

techniques of the present invention are not necessarily limited to the telecommunications industry.

As shown in Figure 2, an accumulator engine 60, in one suitable implementation, receives data in any format at block 62. That is, data records may contain information in any way because source fields within block 62 are assigned logical names at block 64. As such, the reformatted record of block 64 is processed by the accumulation engine. The reformatted record may be one of any number of different record types. When a customer record is received, an accumulator rules table 70 directs the engine to perform appropriate processing. One way for processing a record with the accumulation engine is to perform a sequence of operations to the data, as shown at accumulator criteria identifier block 72. At block 72, a target accumulator is determined. At block 74, a table interprets the target accumulator determined at block 72 and sends appropriate values to the target accumulators which are indicated at block 76. Although there are many techniques for the implementation of the accumulator engine at the lower level, some examples are given below. In the below reproduced tables, table "ACCRU10T" is rules table 70, table "ACCCR10T" is criteria rules block 72, table "ACCGP10T" is the group name map block 74. Target accumulators 76 are not reproduced in a table format herein.

660207 "BETTER"

1668

USW 0535 PUS

Customer No. 22193

ACCRU10T

## Accumulation Examples

Region	Rec Id	Source Field	Accmr-Rle-Nme	Accmr-Nme	Accmr-Sto_Seq_No	Function-Name	Ruls-Eff-Dat	Ruls-Dscntn-Dat	Lst-Updt-Dat
C	210	Call-Dur	R0000001				998-02-2	2099-12-31	1998-02-23
C	210	Msg-Chrg-Amt-Tot	R0000002				998-02-2	2099-12-31	1998-02-23
C	220	Call-Dur	R0000003				998-02-2	2099-12-31	1998-02-23
C	220	Msg-Chrg-Amt-Tot	R0000004				998-02-2	2099-12-31	1998-02-23
C	E810101M	BMD81-CHG	R0000005				998-02-2	2099-12-31	1998-02-23
C	E810101M	BMD81-BLBL-TM	R0000006				998-02-2	2099-12-31	1998-02-23
C	B61	CRB-B61-LSJRC				Tier_Prc	998-02-2	2099-12-31	1998-02-23
C	EI	UF-EI-CLSER		TYPSRV	85		998-02-2	2099-12-31	1998-02-23
C	EG	Tot-Curr-Amt-Excl-Tax	R0000007				998-02-2	2099-12-31	1998-02-23

## ACCCR10T

Accmr-Rle-Nme	Criteria-Id	Data-Field	Operation	Value Type	Value	True Compare	False Compare	True-Accmr-Gr-Id	False-Accmr-Gr-Id	Comment
R0000001	001	ENTY-CD	=	Char	MTN	003	002			Regulated?
	002	ENTY-CD	=	Char	MTT	003	101			
	003	MSG-TYP	=	Char	1			1	2	Direct Dialed?
	101	ENTY-CD	=	Char	MBU	103	102			Unregulated?
	102	ENTY-CD	=	Char	MTU	103	201			Error if No
	103	MSG-TYP	=	Char	1			3	4	Direct Dialed?
	201	ENTY-CD	=	Char	MTW			22	9999	LD USWC feed?
R0000002	001	ENTY-CD	=	Char	MTN	003	002			Regulated?
	002	ENTY-CD	=	Char	MTT	003	101			
	003	MSG-TYP	=	Char	1			5	6	Direct Dialed?
	101	ENTY-CD	=	Char	MBU	103	102			Unregulated?
	102	ENTY-CD	=	Char	MTU	103			9999	Error if No
	103	MSG-TYP	=	Char	1			7	8	Direct Dialed?
	201	ENTY-CD	=	Char	MTW			23	9999	LD USWC feed?
R0000003	001	ENTY-CD	=	Char	MTN		002			Regulated?
	002	ENTY-CD	=	Char	MTT		101	9		

## USW 0535 PUS

Customer No. 22193

## Accumulation Examples

	101	ENTY-CD	=	Char	MBU		102	10	9999	Unregulated? Error if No
	102	ENTY-CD	=	Char	MTU			10		
R0000004	001	ENTY-CD	=	Char	MTN		002	11		Regulated?
	002	ENTY-CD	=	Char	MTT		101	11		
	101	ENTY-CD	=	Char	MBU		102	12		Unregulated?
	102	ENTY-CD	=	Char	MTU			12	9999	Error if No
R0000005	001	SPLR-ID	=	Char	0551		002	13		Wireless?
	002	SPLR-ID	=	Char	0718	003			9999	LD?
	003	MSG-TYP	=	Char	1	004	005			Direct Dialed?
	004	RCD-ID-TYP	=	Char	05			26	15	Toll Free?
	005	MSG-TYP	=	Char	3	006	007			Calling Card?
	006	RCD-ID-TYP	=	Char	05			16	27	Toll Free?
	007	RCD-ID-TYP	=	Char	05			28	17	Toll Free?
R0000006	001	SPLR-ID	=	Char	0551		002	18		Wireless?
	002	SPLR-ID	=	Char	0718	003			9999	LD?
	003	MSG-TYP	=	Char	1	004	005			Direct Dialed?
	004	RCD-ID-TYP	=	Char	05			29	19	Toll Free?
	005	MSG-TYP	=	Char	3	006	007			Calling Card?
	006	RCD-ID-TYP	=	Char	05			30	20	Toll Free?
	007	RCD-ID-TYP	=	Char	05			14	21	Toll Free?
R0000007	001	ENTY-CD	=	Char	MTN		002	24		Regulated?
	002	ENTY-CD	=	Char	MTT		101	24		
	101	ENTY-CD	=	Char	MBU		102	25		Unregulated?
	102	ENTY-CD	=	Char	MTU		NULL	25		

### ACCGP10T

Accumulator-Gr-Id	Accumulator-Name
1	MOUUIAR
	MOU Reg

## Accumulation Examples

1668  
 USW 0535 PUS  
 Customer No. 22193

	MOUWDDDR	MOU Reg - Direct Dialed
2	MOUWUIAR	MOU Reg
3	MOUWUIAU	MOU Unreg
	MOUWDDDU	MOU Unreg - Direct Dialed
4	MOUWUIAU	MOU Unreg
5	REVUIAR	REV Reg
	REVUWDDDR	REV Reg - Direct Dialed
6	REVUIAR	REV Reg
7	REVUIAU	REV Unreg
	REVUWDDDU	REV Unreg - Direct Dialed
8	REVUIAU	REV Unreg
9	MOUWCCCR	MOU Calling Card Reg
10	MOUWCCCU	MOU Calling Card Unreg
11	REVUWCCR	REV Calling Card Reg
12	REVUWCCU	REV Calling Card Unreg
13	REVPCDAT	PCS Airtime Rev
14	MOUULDDT	LD - Tot Usage MOU
	MSGULDDT	LD Tot Msg Count
	MOUULDTF	LD - Toll Free MOU
15	REVULDDD	LD -Direct Dialed Rev
	REVULDDT	LD - Tot Usage Rev

Accumulation Examples

1668  
USW 0535 PUS  
Customer No. 22193

16	REVULDCC	LD - Calling Card Rev
	REVULDDT	LD - Tot Usage Rev
	REVULDTF	LD - Toll Free Rev
17	REVULDDT	LD - Tot Usage Rev
18	MOUPCSAT	PCS Airtime MOU
19	MOUULDDD	LD -Direct Dialed MOU
	MSGULDDT	LD Tot Msg Count
	MOUULDDT	LD - Tot Usage MOU
20	MOUULDCC	LD - Calling Card MOU
	MSGULDDT	LD Tot Msg Count
	MOUULDDT	LD - Tot Usage MOU
21	MOUULDDT	LD - Tot Usage MOU
	MSGULDDT	LD Tot Msg Count
22	MOUPCDLD	LD USWC feed MOU
23	REVPCSLD	LD USWC feed REV
24	REVUSWC	USWC REV
	REVUSWCR	USWC Reg REV
25	REVUSWC	USWC REV

Accumulation Examples

1668  
USW 0535 PUS  
Customer No. 22193

	REVUSWCU	USWC Unreg REV
26	REVULDDD	LD -Direct Diald Rev
	REVULDTF	LD - Toll Free Rev
	REVULDDT	LD - Tot Usage Rev
27	REVULDTF	LD - Toll Free Rev
	REVULDDT	LD - Tot Usage Rev
28	REVULDDT	LD - Tot Usage Rev
29	MOUULDDD	LD -Direct Diald MOU
	MSGULDDT	LD Tot Msg Count
	MOUULDDT	LD - Tot Usage MOU
	MOUULDTF	LD - Toll Free MOU
30	MOUULDCC	LD - Calling Card MOU
	MSGULDDT	LD Tot Msg Count
	MOUULDDT	LD - Tot Usage MOU
	MOUULDTF	LD - Toll Free MOU

### Accumulation Examples

The following examples make reference to the above tables, and the critical table portions are reproduced again, below. Also, refer to the later listed record layouts for the values used in the accumulation examples below. The tables CDFLS10T (block 62) and CDEFS10T (block 64) house the logical names and displacements per record per region. These tables make this process unique in the fact a logical name is assigned to a source field. The logical name can be attached to any field within a given record across the REGION with the same meaning or content. The accumulation criteria table thus can use logical names when building its criteria and does not care about the physical aspect. The join with the CDEFS10T table allow attaching the displacements into a unique record with the given logical name. This process allows for great flexibility, enhances performance, allows table updates rather than source code changes, and is a great improvement over existing systems.

Following are some simple examples showing the accumulation process:

#### **EXAMPLE 1:**

**Region: C (central region)**

**Input Record: 210 (Direct Dialed call detail record)**

Step 1:

The first two rows on ACCRU10T (block 70) are applicable for a 210 record in region C. Row 1 refers to field CALL-DUR (call duration) and points to accumulation rule R0000001.

Region	Rec Id	Source Field	Accmr-Rle-Nme	Accum r-Nme	Accmr- Sto_Seq _No	Function- Name	Ruls-Eff- Dat	Ruls- Dscntn-Dat	Lst-Updt- Dat
C	210	Call-Dur	R0000001				1998-02-23	2099-12-31	1998-02-23
C	210	Msg- Chrg- Amt-Tot	R0000002				1998-02-23	2099-12-31	1998-02-23



Step 2:

Table ACCCR10T is accessed for all criteria ids with a rule equal to R0000001.

ENTY-CD = MTT

MSG-TYP = 1

5

Process:

Criteria id 001 is false, take the false compare and point to criteria id 002.

Criteria id 002 is true, take true compare and point to criteria id 003.

Criteria id 003 is true, and since no next criteria id, **accumulation answer is group 1.**

10

Criteria- Id	Data-Field	Operation	Value Type	Value	True Compare	False Compare	True- Accmr- Gr-Id	False-Accmr- Gr-Id
001	ENTY-CD	=	Char	MTN	003	002		
002	ENTY-CD	=	Char	MTT	003	101		
003	MSG-TYP	=	Char	1			1	2
101	ENTY-CD	=	Char	MBU	103	102		
102	ENTY-CD	=	Char	MTU	103	201		
103	MSG-TYP	=	Char	1			3	4
201	ENTY-CD	=	Char	MTW			22	9999

15

Step 3:

20

Accumulate CALL-DUR into group id 1 (ACCGP10T) list of accumulation fields. Accumulate by rules on TARAC10T (target accumulators).

Accumulator- Gr-Id	Accumulator-Name	
1	MOUWUIAR	MOU Reg
	MOUWDDR	MOU Reg - Direct Dialed

25

Step 4:

Go to step 1 and repeat for all rules present on ACCRU10T.

**210 record layout**

---- FIELD LEVEL/NAME ----- PICTURE- ----

	05	CVB-INPT-DA SYNC	GROUP		
		10	COM-FIX-FLD-GRP SYNC	GROUP	
5		15	ST-CD-ADMIN	X	2
			15	BLG-NPA	999 303
			15	BLG-C-O-CD	999 451
			15	BLG-LINE-NUMB	9(4) 1329
			15	CUST-CD	999 298
10		15	IND-SPEC-ACCT	X	
			15	PRSBSCR TN-ID	X
			<b>15</b>	<b>ACC-CUST-NM-ABBR</b>	<b>XXX MTT (ENTY-CD)</b>
			15	FILLER	X
			15	APRNT-BLG-NUMB-NPA	999 0
15		15	APRNT-BLG-NUMB-C-O	999	0
			15	APRNT-BLG-LINE-NUMB	9(4) 0
			15	ACCOUNT-CODE	S9(5) 0
			<b>15</b>	<b>REC-TYPE</b>	<b>999 210</b>
			15	SEQ-NUMB	XX
20		15	IND-MS-MO	9	0
			15	MSG-DATE-SIR SYNC	GROUP
			20	YR-ID	9(4) 1998
			20	MO-ID	99 12
			20	DAY-ID	99 19
25		15	CONN-TM SYNC	GROUP	
			20	HR-CONN	99 7
			20	MN-CONN	99 0
			20	SEC-CONN	99 0
			15	IND-MS-SUM-BND	X
30		10	LATA-CD	9	1
			10	MSG-CHRG-GRSS-AMT	S9(7)V99 9.77
			10	MSG-CHRG-GRSS-AMT-JNL-CD	S999 0
			10	ACCT-TYPE	S999 0

	10 IND-RSV	9	1	
	10 IND-PAGE-BRK	9	0	
	10 IND-SPEC-CHAR	9	0	
	10 IND-MULT-RATE	9	0	
5	10 IND-OVS-CALL	9	0	
	10 IND-MULT-LINE	9	0	
	10 IND-DIAL	9	0	
	10 IND-SPEC-HNDL	9	0	
	10 MSG-OTR-LN-CHRG-AMT	S9(7)V99	0	
10	10 MSG-OTR-LN-CHRG-AMT-JNL-CD			
		S999	0	
	10 FR-OVS-PT SYNC	GROUP		
	15 CITY	X(8)	BRMFLD	
	15 ST	XX	CO	
15	10 FR-NUMB-GRP-SIR SYNC	GROUP		
	15 NPA-LOC	999	303	
	15 C-O-PREFIX	999	451	
	15 ACCT-LINE-NUMB	9(4)	1329	
	15 OVFL-DIG	99	X'4040'	
20	10 TO-OVS-PT SYNC	GROUP		
	15 CITY	X(12)	ERIE	
	15 ST	XX	CO	
	10 TO-NUMB-GRP-SIR SYNC	GROUP		
	15 NPA-LOC	999	303	
25	15 C-O-PREFIX	999	828	
	15 ACCT-LINE-NUMB	9(4)	6096	
	15 OVFL-DIG	99	X'4040'	
	10 IC-CAL-CD-NUMB	S9(10)	0	
	10 SETTLE-CD	X	8	
30	10 MSG-TYPE-CD	X	1	(MSG-TYP)
	10 RATE-CL	X	B	
	10 CR-TYPE	X		
	10 IND-MISC-COL	X	+	

	10 SER-NUMB	X(10)	
	10 CALL-DUR	SYNC	GROUP
	15 ELPS-MN	9(5)	150
	15 MN-10THS	X	0
5	10 FOR-ST-TAX	S9(7)V99	0
	10 MSG-FOR-ST-TX-JNL-CD	S999	0
	10 IC-TAX	S9(7)V99	0
	10 IC-JRNLCD	S999	0
	10 ITEM-NUMB-REF	S999	0
10	10 MSG-CHRG-NET-AMT	S9(7)V99	9.77
	10 MSG-CHRG-NET-AMT-JNL-CD	S99	297
	10 MSG-DSCNTD-CRDT-AMT	S9(7)V99	0
	10 MSG-DSCNTD-CRDT-AMT-JNL-CD		
		S999	0
15	10 VOL-DSCNT-GRSS-AMT	S9(7)V99	0
	10 VOL-DSCNT-GRSS-AMT-JNL-CD		
		S999	0
	10 VOL-DSCNT-NET-AMT	S9(7)V99	0
	10 VOL-DSCNT-NET-AMT-JNL-CD	S999	0
20	10 VOL-DSCNTD-CRDT-AMT	S9(7)V99	0
	10 VOL-DSCNTD-CRDT-AMT-JNL-CD		
		S999	0
	10 MSG-TXBLTY-INDCTN-CD	X	0
	10 ACC-PROD-SPLR-INTRNL-ID	X(7)	
25	10 PROD-SPLR-INTRNL-ID	X(7)	CRDSVCN
	10 ALT-OPR-SVC-ID	X(5)	00000
	10 PRSNL-IDNTFCTN-NO-NM	X(8)	
	10 MSG-CHRG-PRT-AMT	S9(7)V99	9.77
	10 MSG-OTR-LN-CHRG-PRT-AMT	S9(7)V99	0
30	10 FILLER	X	X'00'
	10 IND-SPL-BILL-FRMT-CD	X	
	10 USG-INTRNL-SER-ID	X(20)	
	15525420095667815114		

	10	USG-INTRNL-SEQ-NO	9(4)	1
		10 RCD-REVN-CD	X	7
		10 BLG-PROD-INTRNL-ID	X(5)	
		10 SRV-MARK-CD	X	
5		10 INCL-IN-SUBTOT	X	Y
		10 TYP-OF-REGLTN-CD	9	0
		10 VOL-DSCNT-PRMTN-GRSS-JNL-CD	X	0
		10 VOL-DSCNT-PRMTN-NET-JNL-CD	X	2
		10 VOL-DSCNT-PRMTN-DSCNT-JNL-CD	X	0
10		10 CARR-ID	9(04)	0
		10 SURCHRG-APPLCBL-CD	X	
		10 TYP-OF-CRDT-CD	9	0
		10 RCD-IDNTFCTN SYNC	GROUP	
		15 RCD-IDNTFCTN-CAT-CD	99	1
15		15 RCD-IDNTFCTN-GR-CD	99	1
		15 RCD-IDNTFCTN-TYP	99	1
		10 SRV-TEXT-CD	X(5)	00000
		10 MISC-TEXT-CD REDEFINES SRV-TEXT-CD		
		10 MISC-TEXT-CD	X(5)	00000
20		10 SRV-TEXT-CD-INDR	9	0
		10 TO-LOCN-PHRS-INDR	9	0
		10 APPLCN-USG-CD	X	
		10 PRT-GRSS-NET-CD	X	
		10 FR-NO-LNGTH	99	X'4040'
25		10 TO-NO-LNGTH	99	X'4040'
		10 TOT-MSG-CHRG	S9(7)V99	9.77

**EXAMPLE 2:**

**Region: C (central region)**

**Input Record: B61 (Monthly service USOC record)**

This process shows how a FUNCTION name can be used in the ACCRU10T (block 70) table to show another way to accumulate data.

Step 1:

5 The following row on ACCRU10T (block 70) is applicable for a B61 record in region C. This row is accumulating the usoc charge stored in CRB-B61-LSJRC. The Accumulation Engine recognizes that the function name is populated and calls that function dynamically.

10 This particular function was built specifically for usoc product records. It accumulates the specific usoc based on an entry in the Tiered product table (TIGLP11V; see below). It can accumulate the money only, keep track of the "count" of usocs of that kind, or both. The accumulation is controlled in this case by this function call. The proper logical names are used in the source code to extract the correct fields off of the input record.

Region	Rec Id	Source Field	Accmr-Rle-Nme	Accmr- Nme	Accmr- Sto_Seq_No	Function- Name	Ruls-Eff- Dat	Ruls- Dscntn- Dat	Lst- Updt-Dat
C	B61	CRB-B61- LSJRC				Tier-Pr	1998- 02-23	2099- 12-31	1998- 02-23

**B61 record:**

05	CVB-INPT-DA SYNC	GROUP	
10	CRB-B61-TCUST SYNC	GROUP	
15	CRB-B61-TSTST	X	K
20	15 CRB-B61-CUSID SYNC	GROUP	
	20 CRB-B61-NPA	XXX	303
	20 CRB-B61-CLCS SYNC	GROUP	
	25 CRB-B61-PHNO SYNC	GROUP	
	30 CRB-B61-CO	XXX	233
25	30 CRB-B61-LINE	X(4)	9254
	25 CRB-B61-CUSCD	XXX	544

	25 CRB-B61-SORT	X		
	<b>10 CRB-B61-RECTY</b>	<b>XXX</b>	<b>61B</b>	<b>(RECORD TYPE)</b>
	10 CRB-B61-JEI	X		
	10 CRB-B61-DAEFF	XXX	X'981230'	
5	10 CRB-B61-TRMCD	X(4)	3600	
	<b>10 CRB-B61-TXLCD</b>	<b>XX</b>		
	<b>10 CRB-B61-TXEXF</b>	<b>X</b>	<b>X'80'</b>	
	10 CRB-B61-TXEXS REDEFINES CRB-B61-TXEXF			
	10 CRB-B61-TXEXS	X	X'80'	
10	10 CRB-B61-TXEXC REDEFINES CRB-B61-TXEXF			
	10 CRB-B61-TXEXC	X	X'80'	
	10 CRB-B61-TXEXL REDEFINES CRB-B61-TXEXF			
	10 CRB-B61-TXEXL	X	X'80'	
	10 CRB-B61-G REDEFINES CRB-B61-TXEXF			
15	10 CRB-B61-G	X	X'80'	
	<b>10 CRB-B61-JRLCD</b>	<b>S999</b>	<b>421</b>	<b>(JOURNAL-CODE)</b>
	<b>10 CRB-B61-TX911</b>	<b>X</b>	<b>1</b>	
	<b>10 CRB-B61-LL-SURCHARGE-IND</b>	<b>X</b>		
	10 CRB-B61-PKG	X		
20	10 CRB-B61-FLRA	XX		
	<b>10 CRB-B61-LSJRC</b>	<b>S9(9)</b>	<b>1699</b>	<b>(CHRG-AMT)</b>
	<b>10 CRB-B61-QUAN</b>	<b>S9(4)</b>	<b>1</b>	
	10 CRB-B61-FLRB	XX		
	10 ACC-CUST-NM-ABBR-GR	SYNC	GROUP	
25	<b>15 ACC-CUST-NM-ABBR</b>	<b>XXX</b>	<b>MTN</b>	<b>(ENTY-CD)</b>
	15 FILLER	X		
	<b>10 UNIV-SRV-ORD-CD</b>	<b>X(5)</b>	<b>FQTX4</b>	<b>(USOC)</b>
	10 FILLER	X(4)		

Example TIGLPL11V for tiered processing

30	TIERED_GR_PLN_ID	TRD_GR_ACCUM_CD	UNIV_SRV_ORD_CD
	0	COUNT	IFR

1 BOTH RVM  
1 BOTH FQTX4  
2 MON 1L5XD  
3 BOTH RAM  
5 4 BOTH C6BZ4  
5 BOTH CU  
6 BOTH BUFS

### EXAMPLE 3:

**Region: C (central region)**

10 **Input Record: EI (Account master record)**

15 This process shows how an ACCUMULATOR name can be used to accumulate a given field DIRECTLY from the rules table. This is a third way, and very efficient way, to state what needs to be accumulated off of a given record. When the accumr name is populated, the Accumulation engine goes directly to the structure saved internal to the program and makes an update. In this case the accumulator name is TYPSEV and the value stored in UF-EI-CLSER is accumulated based on rules on the target accumulator table.

Region	Rec Id	Source Field	Accmr-Rle- Nme	Accumr- Nme	Accmr- Sto_Seq_No	Function- Name	Ruls-Eff- Dat	Ruls- Dscntn- Dat	Lst-Updt- Dat
C	EI	UF-EI- CLSER		TYPSEV	85		1998-02- 23	2099- 12-31	1998- 02-23

20 With reference to Figures 3 and 4, the discount engine performs recursive processing to apply rules by traversing a tree structure, generally indicated at 100 in Figure 3. For example, compound rule 102 is to be evaluated. Rule 102 is formed by compound rule 104 and simple rule 106. Rule 104 is formed by rule 108, rule 110, and rule 112. Rule 112 is formed by rules  
25 114 and 116. When performing the recursive (tree-like) evaluation of complex rule 102, the rule evaluation path is as depicted in block 118. As best shown in



Figure 4, the rule router 132 makes process calls as necessary to apply the rules. To perform qualification evaluations and application evaluations as illustrated in Figure 3, rule router 132 of Figure 4 calls simple application evaluation process 134, simple qualification evaluation process 136, compound application evaluation process 138, and compound qualification evaluation process 140.

### **Rules Tree & Evaluation Preferred Embodiment (Figure 3):**

The CDE Discount Rules evaluation process will walk a tree structure, interpreting the compound and simple rules contained within the tree. One or more simple rules make up a compound rule. The simple rules can be grouped together with =, <, >, <=, >=, <>, (), )( logical operands. Compound rules are grouped together with AND & OR conditions. The process will use the Rule Router to control invocation of Simple and Compound Rules Evaluation, with recursive calls in the compound area. The Rule Router acts as a traffic cop in the interpretation of rules. Each Compound rule will either point to another Compound rule or to a Simple rule. The Simple rules ask the business questions that will be associated with a discount plan(e.g. Customer has more than \$100.00 in Local Service). In order for the tree structure to be complete, the tree must end with Simple rules(the legs of the tree may not end in Compound rules). The rules evaluation process within the CDE will walk the tree structures from left to right. Each leg of the tree will be interpreted. The CDE will follow the path of walking down to the lowest level and then working its way back up to the top tree structure. The rules evaluation process will always be aware of the AND & OR conditions trying to be satisfied in the Compound rules. Should a simple rule evaluate False and the combined condition in the Compound rule require True, the rules evaluation process will stop and go up to the next level as the lower process result has already been determined.

### **Rule Router Preferred Embodiment (Figure 4):**

The Rule Router is unique to rules processing. Most rules evaluation processes simply invoke the rules evaluation(Simple or Compound rule)routines and then return a result. With the complexity in the CDE

requirements, the Rule Router allows us to generate complex tree conditions to meet the needs of the business. Asking many questions about an account in order to render a discount, and have those questions grouped together and dependant on one another. The tree conditions may go to an unlimited depth (only limited by business requirements).

With reference to Figure 5, a data model for the convergent discount engine of the present invention is generally indicated at 160. Model 160 includes various components that make up the accumulation engine and the discount engine. The blocks of model 160 are defined below.

10

**Definitions:**

Disc\_Qual\_Rules (162) Discount Qualification Rules – Linked to Discount Plans, States which rule to invoke.

15

Cust\_Subscribed\_Plan (164) Table which contains the discounts plans customers have Subscribed to.

Mult\_Disc\_Applic\_Ref (166) Details how discount plan interact with one another and who has priority.

Disc\_Plan\_Activity (168) Details the customer, the discount plan id rendered and the amount of the discount.

20

Cust\_Loyalty (170) Details the customer and the loyalty points accumulated for that customer.

Disc\_Qual\_Smpl\_Rules (172) Discount Qualification Simple Rules table.

Disc\_Qual\_Cmpnd\_Rules (174) Discount Qualification Compound Rules table.



Coupon\_Info (202)

Details electronic coupons available for inclusion in Discount plans.

Disc\_Pln\_Jrnl (204)

Details the relationship of discount plans to journal codes.

5                   As shown in Figure 6, the logical process flow of a suitable implementation of the present invention is generally indicated at 220. The logical process flow of Figure 6 and the data model of Figure 5 may be viewed together to obtain an understanding of the general process followed in a preferred implementation of the present invention, and the underlying data model used  
10                   therewith. As shown in Figure 6, input data along arrow 222 may take any form because source fields in the records are mapped to logical names for processing by convergent driver 226. Similarly, output data 224 may be presented in any format desired. Convergent driver 226, in the exemplary implementation, performs data accumulation according to accumulator tables 228 and post  
15                   controls 230. Accumulator driver 232 processes account information 234 and data records 236. The processing of the data records is performed as previously described, at process 240.

20                   As mentioned previously, a rules table implementation may provide several different ways of processing a data record such as rule criteria base processing 242, tiered product processing 244, or direct placement into a tiered accumulator 246. On the other side of convergent driver 226 is the discount engine with the flow beginning at discount request 250. At 252, discount qualification takes place, with a list of potential plans being generated at 254 and qualification rules being applied at 256. Discounts are calculated or  
25                   rendered at 260 by applying application rules 262 as described previously. Thereafter, any discount limits are applied at 264, and journal entries are calculated at 266.

Although a particular implementation of the present invention has been described, along with preferred features for the rule-based system such as

the use of a straight-through accumulator engine and a recursive discount rendering engine, embodiments of the present invention may be implemented in a variety of different ways other than that specific example described above. As best shown in Figure 7, a system of the present invention is generally indicated at 300. In the broad representation of the present invention shown in Figure 7, customer records are received in any format at 310, preferably, with logical names being assigned to source fields. A rule-based system 312 processes the data. In a preferred implementation, the rule-based system includes a discount rules evaluation engine and a data accumulation rules engine. Of course, in some implementations, all of the functions may not be performed by the rule-based system. Preferably, a combination of percentage, flat, tiered, threshold, waived discounts along with loyalty points and electronic coupons may be processed by rule-based system 312. Thereafter, at block 314, discounted bills are generated. Advantageously, embodiments of the present invention provide the ability to look at differing data across company affiliates (for example, in telecommunications industry implementation, local, wireless, carrier, long distance, etc.), and billing environments, and bring it all together and use it in convergent discounts.

In Figure 8, a preferred method for implementing system 300 is generally indicated at 320. At block 322, customer records are received. At block 324, a rule-based accumulation engine is established. At block 326, records are processed with the accumulation engine to accumulate the data in a plurality of predetermined target accumulators. At block 328, a rule-based discount engine is established. At block 330, the plurality of target accumulators are processed with the discount engine to render discounts applicable to the customer.

It is appreciated, that embodiments of the present invention may be implemented as software in a computer readable storage medium. The computer readable storage medium may take any form. For example, magnetic or optical media may be used to store instructions, executable by a computer for managing information and rendering discounts in accordance with the present invention. As shown in Figure 9, a mainframe is generally indicated at 340.

Control logic within mainframe 340 processes the instructions and data to implement the present invention. The instructions and data may be stored in any type of computer readable media such as a disk array 342 and memory at mainframe 340.

5                   It is to be appreciated that the present invention, for the very first time, uses a rule-based system to manage customer information and render billing discounts. Advantageously, a rule-based system greatly expands billing system capabilities compared to existing application specific software packages. The present invention allows a system administrator to dynamically define how to  
10 accumulate billed information items, apply discount rules (in IF THEN ELSE logic patterns) to generate threshold, tiered, flat, percentage discounts, as well as loyalty points and electronic coupons. The invention provides the capability to combine billed charges from different sources and affiliates, interrogate those charges, and apply discounts based on these charges.

15                   In summary, a preferred embodiment for a particular application, which the inventors found to be useful and to be a suitable exemplary implementation, has three main components:

1.       Billed Information/Item Accumulation:

20                   This portion of the engine is rule-based, allows the business to define what items (facts) they would like to know about a customer and the charges that customer has incurred. Being that it is rule-based and externalized, changes can be quickly made to the type of data to be accumulated. Note - based on the definition of these accumulators, the discount engine gains additional capabilities (*e.g.*, if you define where a customer resides, the engine can calculate  
25 geography based discounts, if you define how long a customer has been with the company, the engine can calculate tenure based discounts, etc.)

The accumulator engine portion of CD was developed to be a rule-based engine that was to process many accumulator transactions. These transactions or record identifiers were housed in an accumulator rule table that was to drive the accumulation process. due to the volume of transactions, a method was used to design the internal structures to facilitate quick access to accumulation data and/or criteria. The process that was designed used a concept of an internal storage sequence number that was able to allow the software to directly look up the information and greatly improve performance. Another key component included multiple data displacement tables that allowed us to externalize data displacements in regard to accumulator transactions, which enabled us the ability to respond to a business change more quickly by external table updates versus hard-coded software enhancements.

## 2. Discount Qualification

This portion of the engine is also rule-based, it allows the business to define what conditions must be present in order to render a discount. The rules are based on if then else structures so they can be understood by a non-technical individual.

## 3. Discount Rendering

This portion of the engine is rule-based as well, it applies the rules for rendering a discount. The rules are based on if then else structures so they can be understood by a non-technical individual.

The following applies to both discount qualification and rendering rules:

Rules are categorized into two parts - simple rules (ability to ask simple questions,  $X = Y$ , etc. using  $+$ ,  $<$ ,  $>$ ,  $<>$ ,  $=>$ ,  $()$ ,  $()$  (logical operators) and compound rules (ability to group simple rules together using AND & OR logic). Rules processing allows you to define any depth to the simple and compound rules using a modified b-tree structure. The rules engine is

constructed to process each logical leg of the rules tree and then based on evaluated conditions exit the structure or continue processing the remaining leg - this allows for efficient processing.

Overall Concept:

5                   The overall engine concept was constructed to allow the business to quickly act and re-act in an ever changing competitive environment. The engine was designed for maximum flexibility and to allow the business to build their own rules without technical intervention using the technical structures depicted above.

10                   Business Capabilities:

15                   The CDE was designed and has the ability to perform the following: auto qualification of discount plans, subscription based discount plans, bundling and package discounting, location discounting, flat dollar based discounts, percentage based discounts, tiered discounting, tenure discounting, threshold discounting for usage and non-usage items, prepay discounts, average based discounting, accumulated spending discounting, long term (more than one month) discounting, date, day and time of week discounting, geography based discounting, contract discounting, affinity discounting, tethering, customer referral discounting, loyalty point processing, electronic couponing, revenue and financial tracking and management, and journaling of discounts and management of bookings.

20

25                   While the best mode for carrying out the invention has been described in detail, those familiar with the art to which this invention relates will recognize various alternative designs and embodiments for practicing the invention as defined by the following claims.



**WHAT IS CLAIMED IS:**

1                   1.     A method for managing information and rendering  
2 discounts in a billing system, the method comprising:  
3                   receiving a customer record including data;  
4                   establishing a rule-based accumulation engine;  
5                   processing the record with the accumulation engine to accumulate  
6 the data in a plurality of predetermined target accumulators;  
7                   establishing a rule-based discount engine; and  
8                   processing the plurality of target accumulators with the discount  
9 engine to render discounts applicable to the customer.

1                   2.     The method of claim 1 wherein the record has a record  
2 type and wherein establishing the accumulation engine further comprises:  
3                   establishing a rules table that directs the accumulation engine based  
4 on the record type.

1                   3.     The method of claim 2 wherein establishing the  
2 accumulation engine further comprises:  
3                   establishing at least one rule for processing a record by performing  
4 a sequence of operations to the data, wherein the rules table directs the  
5 accumulation engine to apply the at least one rule when dictated by the record  
6 type.

1                   4.     The method of claim 3 wherein establishing the  
2 accumulation engine further comprises:  
3                   establishing at least one function for processing a record, wherein  
4 the rules table directs the accumulation engine to apply the at least one function  
5 when dictated by the record type.

1                   5.     The method of claim 3 wherein the rules table directs the  
2 accumulation engine to pass the data directly to a target accumulator when  
3 dictated by the record type.

1                   6.     The method of claim 1 wherein the record includes at least  
2     one source field, and wherein receiving the record further comprises:

3                   assigning a logical name to a source field, wherein the  
4     accumulation engine processes the record using the logical name.

1                   7.     The method of claim 1 wherein establishing the discount  
2     engine further comprises:

3                   establishing at least one rule for processing the record to evaluate  
4     discount qualification; and

5                   establishing at least one rule for processing the record to evaluate  
6     discount application.

1                   8.     The method of claim 1 wherein establishing the discount  
2     engine further comprises:

3                   establishing at least one simple rule for processing the record.

1                   9.     The method of claim 8 wherein establishing the discount  
2     engine further comprises:

3                   establishing at least one compound rule for processing the record,  
4     the at least one compound rule being composed of a plurality of simple rules,  
5     wherein the discount engine applies a compound rule by recursively applying  
6     simple rules.

1                   10.    A discount system for managing information and rendering  
2     discounts in a billing system, the discount system comprising:

3                   a rule-based engine configured to receive a customer record  
4     including data, process the record to accumulate the data in a plurality of  
5     predetermined target accumulators, process the plurality of target accumulators  
6     to render discounts applicable to the customer.

1                   11.    A computer readable storage medium having information  
2     stored thereon representing instructions executable by a computer to manage

3 information and render discounts in a billing system, the computer readable  
4 storage medium further comprising:  
5 instructions for receiving a customer record including data;  
6 instructions for establishing a rule-based accumulation engine;  
7 instructions for processing the record with the accumulation engine  
8 to accumulate the data in a plurality of predetermined target accumulators;  
9 instructions for establishing a rule-based discount engine; and  
10 instructions for processing the plurality of target accumulators with  
11 the discount engine to render discounts applicable to the customer.

1 12. The medium of claim 11 wherein the record has a record  
2 type and wherein the medium further comprises:  
3 instructions for establishing a rules table that directs the  
4 accumulation engine based on the record type.

1 13. The medium of claim 12 further comprising:  
2 instructions for establishing at least one rule for processing a  
3 record by performing a sequence of operations to the data, wherein the rules table  
4 directs the accumulation engine to apply the at least one rule when dictated by the  
5 record type.

1 14. The medium of claim 13 further comprising:  
2 instructions for establishing at least one function for processing a  
3 record, wherein the rules table directs the accumulation engine to apply the at  
4 least one function when dictated by the record type.

1 15. The medium of claim 13 wherein the rules table directs the  
2 accumulation engine to pass the data directly to a target accumulator when  
3 dictated by the record type.

1 16. The medium of claim 11 wherein the record includes at  
2 least one source field, and wherein the medium further comprises:

3 instructions for assigning a logical name to a source field, wherein  
4 the accumulation engine processes the record using the logical name.

1 17. The medium of claim 11 further comprising:  
2 instructions for establishing at least one rule for processing the  
3 record to evaluate discount qualification; and  
4 instructions for establishing at least one rule for processing the  
5 record to evaluate discount application.

1 18. The medium of claim 11 further comprising:  
2 instructions for establishing at least one simple rule for processing  
3 the record.

1 19. The medium of claim 18 further comprising:  
2 instructions for establishing at least one compound rule for  
3 processing the record, the at least one compound rule being composed of a  
4 plurality of simple rules, wherein the discount engine applies a compound rule  
5 by recursively applying simple rules.

660007-00000000

## ABSTRACT OF THE DISCLOSURE

10 A method for managing information and rendering discounts in a billing system utilizes a rule-based engine. Customer records are processed with a rule-based accumulation engine to accumulate the data in a plurality of pre-determined target accumulators. A plurality of target accumulators are processed with a rule-based discount engine to render discounts applicable to the customer.

650201 86012460




Fig. 1




Fig. 2




Fig. 3







Fig. 4








Fig. 7




Fig. 8




Fig.9

# DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY

Atty. Docket No. 1668 (USW 0535 PUS)  
First Named Inventor Chase A. Hafner

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

## METHOD FOR MANAGING INFORMATION AND RENDERING DISCOUNTS,

the specification of which:

☒ is attached hereto; or  
☐ was filed on (MM/DD/YYYY) \_\_\_\_\_ as U.S. Application Number or PCT International Application Number \_\_\_\_\_, and was amended on (MM/DD/YYYY) \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below, and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

<i>Prior Foreign Application Number(s)</i>	<i>Country</i>	<i>Foreign Priority Date (MM/DD/YYYY)</i>	<i>Priority Not Claimed</i>	<i>Certified Copy Attached? (Yes/No)</i>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

<i>Application Number(s)</i>	<i>Filing Date (MM/DD/YYYY)</i>

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

<i>Application Number(s)</i>	<i>Filing Date (MM/DD/YYYY)</i>	<i>Status: Patented, Pending, Abandoned</i>





**Declaration for Patent Application (cont'd.)**Atty. Docket No. 1668 USW 0535 US

I hereby appoint the practitioners associated with Customer Number 22193 to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and direct that all correspondence be addressed to that Customer Number. Telephone calls should be directed to U S WEST, Inc., Law Department--Intellectual Property Group, at (877) 879-4747 or (303) 672-2700.

**22193**

PATENT TRADEMARK OFFICE

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Full Name of Sole or First Inventor** Chase A. HafnerInventor's signature Date 10-19-99Post Office Address (same as residence)Residence 5570 W. 115<sup>th</sup> Loop, Westminster, Colorado 80020Citizenship United States**Full Name of Second Joint Inventor** William R. MutschlerInventor's signature Date 10-19-99Post Office Address (same as residence)Residence 6660 Westwoods Cir., Arvada, Colorado 80007Citizenship United States**Full Name of Third Joint Inventor** Brian J. WalkerInventor's signature Date 10-19-99Post Office Address (same as residence)Residence 10804 W. 100<sup>th</sup> Dr., Westminster, Colorado 80021Citizenship United States**Full Name of Fourth Joint Inventor** David S. JoyceInventor's signature Date 10/19/99Post Office Address (same as residence)Residence 455 Wright St., #103, Lakewood, Colorado 80228Citizenship United States